

KX 2 Portable electric fan heater



KX 2 Electric fan heater for temporary heating

KX 2 is a compact and convenient fan heater, that quickly heats up smaller spaces such as caravans, summer houses, winter gardens and garages.

- Powerful: 2000 W
- Thermostat and power selector 0-1-2 kW
- Self-limiting ceramic PTC element
- Carrying handle—easy to move
- Two-metre connection cable

Design

The casing is made of stainless steel EN 1.4016 and the frame of black lacquered galvanised steel sheet.

IP21 degree of protection (protected against dripping water). If the KX 2 is used outdoors, it must be placed under a roof.

Feedback Control

KX 2 operates with a self-limiting ceramic PTC element and low air volume. This results in very intensive heat as the air temperature increases by about 65 $^{\circ}$ C as it flows through the KX 2.

The fan heater comes with a +5 $^{\circ}$ C to 35 $^{\circ}$ C thermostat and a 0-1-2 kW power selector.

Connection

KX 2 comes with two-metre long connection cable with an earthed plug.



Approvals

The fan heater has been tested and approved by Intertek Semko AB in accordance with the following directives: LVD directive: EN 60335-1 and EN 60335-2-30 EMC directives: EN 61000-3-2, EN 61000-3-3, EN 55014-1 and EN 55014-2 EMF directive: EN 62233

Technical Data

		KX 2
Voltage	V	230 VAC 1-ph.
Output	kW	2
Output stage	kW	0-1-2
Current	А	4.3 / 8.7
Sound pressure level ¹⁾	dB(A)	43
Air volume	m³/h	90
Temp. increase due to heater	°C	65
Degree of protection		IP21
Weight	kg	2.4
Width $ imes$ Height $ imes$ Depth	mm	155 × 220 × 190

¹⁾ Measured at 5 metres in front of appliance.







VEAB Heat Tech AB Tel +46(0)451-485 00 www.veab.com • veab@veab.com Sweden